

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO	
10/708,835	03/26/2004	Blayn W. Beenau	60655.9800	2834	
20322	7590 12/16/2005	EXAMINER		INER	
SNELL & WILMER			NGUYEN	NGUYEN, NAM V	
ONE ARIZO 400 EAST V	NA CENTER AN BUREN		ART UNIT	PAPER NUMBER	
PHOENIX, AZ 850040001			2635		

DATE MAILED: 12/16/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

		Ap	plication No.	Applicant(s)				
Office Action Summary			/708,835	BEENAU ET AL.				
		Ex	aminer .	Art Unit				
		Na	m V. Nguyen	2635				
Period fo	The MAILING DATE of this commun	ication appears	on the cover sheet wi	th the correspondence ac	idress			
WHIC - Exte after - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR CHEVER IS LONGER, FROM THE Monsions of time may be available under the provisions SIX (6) MONTHS from the mailing date of this common period for reply is specified above, the maximum stare to reply within the set or extended period for reply reply received by the Office later than three months are patent term adjustment. See 37 CFR 1.704(b).	IAILING DATE of 37 CFR 1.136(a). nunication. atutory period will approximate, cause	OF THIS COMMUNIC In no event, however, may a really and will expire SIX (6) MON the the application to become AB	CATION. eply be timely filed THS from the mailing date of this candoned (35 U.S.C. § 133).				
Status								
1)	Responsive to communication(s) file	ed on <i>26 March</i>	2004.					
, <u> </u>	This action is FINAL . 2b)⊠ This action is non-final.							
/ <u> </u>	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is							
,	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
Disposit	ion of Claims							
4) 🛛	Claim(s) <u>1-47</u> is/are pending in the application.							
,	4a) Of the above claim(s) is/are withdrawn from consideration.							
	Claim(s) is/are allowed.							
	Claim(s) 1-47 is/are rejected.							
7)	Claim(s) is/are objected to.							
8)	Claim(s) are subject to restrict	ction and/or ele	ction requirement.					
Applicat	ion Papers							
9)🖂	The specification is objected to by th	e Examiner.						
10)🖂	The drawing(s) filed on 26 March 20	<u>04</u> is/are: a)⊠	accepted or b) ☐ obj	ected to by the Examiner	r.			
	Applicant may not request that any obje	ction to the draw	ing(s) be held in abeyan	ce. See 37 CFR 1.85(a).				
	Replacement drawing sheet(s) including	the correction is	required if the drawing((s) is objected to. See 37 Cl	FR 1.121(d).			
11)	The oath or declaration is objected to	by the Examir	ner. Note the attached	Office Action or form P	ΓΟ-152.			
Priority ι	ınder 35 U.S.C. § 119							
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 								
	•		•					
Attachmen								
	e of References Cited (PTO-892)	OTO 040)	• —	Summary (PTO-413) s)/Mail Date				
3) 🔯 Infor	e of Draftsperson's Patent Drawing Review (F mation Disclosure Statement(s) (PTO-1449 or r No(s)/Mail Date- <u>8/10:8/9/95-3/20/3:</u> ビルロル・ビスシロル・4/9	PTO/SB/08)		formal Patent Application (PTC	D-152)			

Art Unit: 2635

DETAILED ACTION

The application of Beenau et al. for a "method and system for iris scan recognition biometrics on a fob" filed March 26, 2004 has been examined.

This application is a CIP of 10/340,352 filed January 10, 2003, which is a CIP of 10/192,488 filed July 9, 2002, which claims the benefit of 60/304,216 filed July 10, 2001 and said 10/340,352 filed January 10, 2003, which is a CIP of 10/318,432 filed December 13, 2002 and is a CIP of 10/318,480 filed December 13, 2002, and claims benefit of 60/396,577 filed July 16, 2002.

Claims 1-47 are pending.

Specification

Applicant is reminded of the proper language and format for an abstract of the disclosure.

The abstract should be in narrative form and generally limited to a single paragraph on a separate sheet within the range of 50 to 150 words. It is important that the abstract not exceed 150 words in length since the space provided for the abstract on the computer tape used by the printer is limited. The form and legal phraseology often used in patent claims, such as "means" and "said," should be avoided. The abstract should describe the disclosure sufficiently to assist readers in deciding whether there is a need for consulting the full patent text for details.

The language should be clear and concise and should not repeat information given in the title. It should avoid using phrases which can be implied, such as, "The disclosure concerns," "The disclosure defined by this invention," "The disclosure describes," etc.

The current abstract using phrase "the present invention" and "the invention" is implied and should be avoided. See MPEP 608.01(b).

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 1-47 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

In claim 1, the phrase "said system comprising:" is confusing and unclear. It is not understood what is meant by such a limitation. Is the system a transponder-reader transaction system or a biometric security system? What are the different between a system, a transponder-reader transaction system and a biometric security system? Claims 1-22 are rejected for their dependence on Claim 1 and include the same limitations of Claim 1 without correcting the ambiguity.

In claim 1, the phrase "a device configured to verify said proffered iris scan sample to facilitate a transaction" is confusing and unclear. It is not understood what is meant by such a limitation. What is a device? Is a device in a reader or in a transponder or in an iris scan sensor? Where is this limitation supported by specification?

In claim 3, the phrase "wherein said iris scan sensor is configured to facilitate a finite number of scans" is confusing and unclear. It is not understood what is meant by such a

Art Unit: 2635

limitation. What facilitate a finite number of scan mean? What is a finite number? Where is this limitation supported by specification?

Claim 7 recites the limitation "remote database" in line 2. There is insufficient antecedent basis for this limitation in the claim. Also the phrase "wherein said remote database is configured to be operated by an authorized sample receiver" is confusing and unclear. It is not understood what is meant by such a limitation. What exactly is an authorized sample receiver? Is an authorized sample receiver of a reader or an authorized user? Where is this limitation supported by specification?

In claim 17, the phrase "wherein an iris scan sample is primarily associated with at least one of first user information,..., and wherein an iris scan sample is secondarily associated with at least one of second user information" is confusing and unclear. It is not understood what is meant by such a limitation. What is the different between primarily and secondarily? What is a user information? What is a first and second information? Is primarily and secondarily includes the same or identical personal information? Where is this limitation supported by specification?

In claim 18, the phrase "configured to begin mutual authentication upon verification of said proffered iris scan sample" is confusing and unclear. It is not understood what is meant by such a limitation. What is configuring to begin mutual authentication? Is the reader authenticated the transponder, vice versa or both? Where is this limitation supported by specification?

In claim 22, the phrase "wherein said device configured to verify is configured to facilitate the use of at least one secondary security procedure" is confusing and unclear. It is not understood what is meant by such a limitation. What is the device do? Is the device verify or configure? Where is this limitation supported by specification?

In claim 23 and 35, the phrase "detecting a proffered biometric at a sensor communicating with said system to obtain a proffered biometric sample" is confusing and unclear. It is not understood what is meant by such a limitation. Is a sensor detecting a proffered biometric sample? Is the sensor locate in the transponder, in a reader or in a system? What is the different between a proffered biometric and a proffered biometric sample? Where is this limitation supported by specification? Claims 24-34 and 36-47 are rejected for their dependence on Claims 23 and 35 and include the same limitations of Claims 23 and 35 without correcting the ambiguity.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

⁽a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Art Unit: 2635

Claims 1-10, 12-31, 33-41, and 43-47 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kita (US# 6,703,918) in view of Glass et al. (US# 6,332,193).

Referring to claims 1, 23 and 35, Kita discloses a method and a transponder-reader transaction system (i.e. an authentication system) (see Figures 3, 10-11, 14-15, 20 and 24-25) configured with a biometric security system (1) (i.e. a portable information equipment), said system comprising:

a transponder (171) (i.e. a portable information equipment) configured to communicate with a reader (191) (i.e. authentication device) (column 10 line 63 to column 12 line 67; see Figure 10-11); a reader (191) (i.e. authentication device) configured to communicate with said system (197) (i.e. system or server) (column 12 line 6 to 67; see Figure 11); a biometric sensor (8 or 10) configured to detect a proffered biometric scan sample (i.e. authentication data), said biometric scan sensor (8 or 10) configured to communicate with said system (197) (i.e. system or server); and a device (152) (i.e. a control circuit) configured to verify said proffered biometric scan sample (i.e. authentication data) to facilitate a transaction (column 19 line 48 o 67; see Figures 24-25).

However, Kita did not explicitly disclose an iris scan sensor configure to detect a proffered iris scan sample.

In the same field of endeavor of biometric identity verification system, Glass et al. teach that a iris scan sensor (4) (i.e. an imaging system) configure to detect a proffered iris scan sample (i.e. a digital representation of iris pattern or iris code) (column 1 lines 12 to 59; see Figures 1 to

Art Unit: 2635

5) in order to identify the identity of a person using the biometric means for online banking and Internet commerce transactions.

One of ordinary skilled in the art recognizes using an iris imaging system for generating an iris code of Glass et al. in a portable information equipment of Kita because Kita suggests it is desired to provide that the portable information equipment includes plurality of biometric sensors to authenticate the user (column 10 line 62 to column 12 line 40; column 14 lines 42 to 61; see Figures 10-15) and Glass et al. teach that an imaging system includes a plurality of biometric sensors including an iris imaging (i.e. an optics and camera) to generate an iris code to identify the user in a verification identity system (column 1 line 12 to 59) in order to increase security for e-commerce. Therefore, it would have been obvious to a person of ordinary skill in the art at the time of the invention was made to using an iris imaging system for generating an iris code of Glass et al. in a portable information equipment of Kita with the motivation for doing so would have been to secure the verification of the user in the identity verification system for e-commerce.

Referring to Claims 2 and 36, Kita in view of Glass et al. disclose the method and the transponder-reader transaction system of claims 1 and 35, Kita discloses wherein said sensor (155) (i.e. organic measurement sensor) is configured to communicate with said system (197) via at least one of a transponder (171) (column 12 line 6 to 40; see Figures 10-15)

Referring to Claims 3 and 39, Kita in view of Glass et al. disclose the method and the transponder-reader transaction system of claims 1 and 35, Kita discloses wherein said iris scan

Art Unit: 2635

sensor (176) is configured to facilitate a finite number of scans (column 4 line 20 to column 5 line 9; column 10 line 62 to column 11 line 61; see Figures 1-3 and 10-15).

Referring to Claims 4 and 40, Kita in view of Glass et al. disclose the method and the transponder-reader transaction system of claims 1 and 35, Kita discloses wherein said iris scan sensor (176) is configured to log at least one of a detected iris scan sample, processed iris scan sample and stored iris scan sample (column 5 lines 55 to column 6 line 43; column 9 line 66 to column 10 line 13).

Referring to Claim 5, Kita in view of Glass et al. disclose the transponder-reader transaction system of claim 1, Kita discloses further including a database (154) (i.e. organic authentication registration data) configured to store at least one data packet (i.e. authentication data), wherein said data packet (i.e. authentication data) includes at least one of proffered and registered iris scan samples, proffered and registered user information, terrorist information, and criminal information (column 10 line 62 to column 11 line 14; column 12 line 6 to 67; see Figures 10-15).

Referring to Claim 6, Kita in view of Glass et al. disclose the transponder-reader transaction system of claim 4, Kita discloses wherein said database (154) (i.e. organic authentication registration data) is contained in at least one of the transponder (151), transponder reader, sensor, remote server, merchant server and transponder-reader system (column 10 line 62 to column 11 line 14; column 12 line 6 to 67; see Figures 10-15).

Art Unit: 2635

Referring to Claim 7, Kita in view of Glass et al. disclose the transponder-reader transaction system of claim 5, Kita discloses wherein said remote database (154) (i.e. organic authentication registration data) is configured to be operated by an authorized sample receiver (356) (i.e. a radio transmission/reception) (column 10 line 62 to column 11 line 14; column 16 lines 42 to column 17 line 39; see Figures 10-15 and 20).

Referring to Claims 8, 26 and 37, Kita in view of Glass et al. disclose the method and the transponder-reader transaction system of claims 1, 23 and 35, Glass et al. disclose wherein said iris scan sensor device (4) (i.e. an imaging system) is configured with at least one of an optical scanner and video camera (6) (i.e. an optics and camera) (column 4 line 31 to column 3 line 45; column 21 line 64 to column 22 line 12; see Figures 1 to 3).

Referring to Claims 9-10, 31 and 44, Kita in view of Glass et al. disclose the method and the transponder-reader transaction system of claims 1, 23 and 43, Glass et al. disclose wherein said iris scan sensor is configured to detect and verify iris scan characteristics including surface patterns (column 1 line 12 to 59; see Figures 1 to 3).

Referring to Claims 12, 43 and 45, Kita in view of Glass et al. disclose a method and the transponder-reader transaction system of claims 6 and 35, Kita discloses further including a device (152) (i.e. a control circuit) configured to compare a proffered iris scan sample (i.e.

Art Unit: 2635

organic data input) with a stored iris scan sample (178) (i.e. registered biometric data) (column 12 lines 6 to 67; see Figure 15).

Referring to Claims 13 and 47, Kita in view of Glass et al. disclose the transponder-reader transaction system of claims 12 and 35, Kita discloses wherein said device (152) (i.e. a control circuit) configured to compare a iris scan sample (i.e. authentication data) is at least one of a third-party security vendor device and protocol/sequence controller (column 12 lines 6 to 67; see Figure 15).

Referring to Claim 14, Kita in view of Glass et al. disclose the transponder-reader transaction system of claim 12, Kita discloses wherein a stored iris scan sample comprises a registered facial scan sample (column 12 lines 6 to 67; see Figure 15).

Referring to Claim 15, Kita in view of Glass et al. disclose the transponder-reader transaction system of claim 14, Kita discloses wherein said registered iris scan sample (178) (i.e. registered biometric data) is associated with at least one of: personal information, credit card information, debit card information, savings account information, and loyalty point information (column 19 line 47 to 67; see Figure 25).

Referring to Claim 16, Kita in view of Glass et al. disclose the transponder-reader transaction system of claim 15, Kita discloses wherein different registered iris scan samples are associated with a different one of: personal information, credit card information, debit card

Art Unit: 2635

information, savings account information, and loyalty point information (column 19 line 47 to 67; see Figure 25).

Referring to Claim 17, Kita in view of Glass et al. disclose the transponder-reader transaction system of claim 15, Kita discloses wherein a iris scan sample (i.e. authentication data) is primarily associated with at least one of first user information (i.e. first authentication registration input) wherein said first information comprises personal information, credit card information, debit card information, savings account information, and loyalty point information, and wherein a iris scan sample is secondarily associated with at least one of second user information (i.e. first authentication registration input), wherein said second information comprises personal information, credit card information, debit card information, savings account information, and loyalty point information, where second user information is different than first user information (column 9 line 49 to column 10 line 13; column 19 line 48 to 67; see Figures 9 and 25).

Referring to Claim 18, Kita in view of Glass et al. disclose the transponder-reader transaction system of claim 1, Kita discloses wherein said transponder-reader transaction system is configured to begin mutual authentication upon verification of said proffered iris scan sample (column 16 lines 47 to column 17 line 25; see Figure 25).

Referring to Claim 19, Kita in view of Glass et al. disclose the transponder-reader transaction system of claim 1, Kita discloses wherein said transponder is configured to deactivate

Art Unit: 2635

(i.e. end the process of verification) upon rejection (i.e. not coincident) of said proffered iris scan sample (column 7 line 53 to column 8 line 23; see Figures 6-8.

Referring to Claim 20, Kita in view of Glass et al. disclose the transponder-reader transaction system of claim 1, Kita discloses wherein said sensor is configured to provide a notification upon detection of a sample (column 5 line 40 to column 6 line 23; see Figure 5).

Referring to Claim 21, Kita in view of Glass et al. disclose the transponder-reader transaction system of claim 1, Kita discloses wherein said device configured to verify is configured to facilitate at least one of access, activation of a device, a financial transaction, and a non-financial transaction (column 19 line 48 to 67; see Figure 25).

Referring to Claim 22, Kita in view of Glass et al. disclose the transponder-reader transaction system of claim 1, Kita discloses wherein said device configured to verify is configured to facilitate the use of at least one secondary security procedure (column 19 line 48 to 67; see Figure 25).

Referring to claim 24, Kita in view of Glass et al. disclose the method for of claim 23, Kita discloses further comprising registering at least one iris scan sample (i.e. authentication data) with an authorized sample receiver (8) (column 9 line 66 to column 10 line 59; column 11 line 15 to 61; see Figures 10-11).

Art Unit: 2635

Referring to claim 25, Kita in view of Glass et al. disclose the method for of claim 23, Kita discloses wherein said step of registering further includes at least one of: contacting said authorized sample receiver (32) (i.e. a wireless transmission reception section), proffering a iris scan to said authorized sample receiver (32), processing said iris scan to obtain a iris scan sample (i.e. authentication data), associating said iris scan sample (i.e. authentication data) with user information, verifying said iris scan sample (i.e. authentication data), and storing said iris scan sample upon verification (column 9 lines 66 to column 10 line 59; column 11 line 15 to 61; see Figures 10-11).

Referring to claims 27 and 38, Kita in view of Glass et al. disclose the method for of claims 23 and 35, Kita discloses wherein said step of proffering further includes proffering a biometric (i.e. fingerprint) to a biometric sensor (8) communicating with said system to initiate at least one of: storing, comparing, and verifying said biometric sample (i.e. authentication data) (column 9 lines 66 to column 10 line 59; column 11 line 15 to 61; see Figures 10-11).

Referring to claim 28, Kita in view of Glass et al. disclose the method for of claim 23, Kita discloses wherein said step of proffering a iris scan to a iris scan sensor (8) communicating with said system to initiate verification further includes processing database information (i.e. authorized data in an organic authentication registration data), wherein said database information (registration data) is contained in at least one of a transponder (151) (i.e. a equipment) (column 10 line 63 to column 11 line 61; see Figures 10-11).

Art Unit: 2635

Referring to claim 29, Kita in view of Glass et al. disclose the method for of claim 23, Kita discloses wherein said step of proffering a iris scan to a iris scan sensor (8) communicating with said system to initiate verification further includes comparing a proffered biometric sample (i.e. authentication data) with a stored biometric sample (i.e. organic authentication registration data registered in the organic authentication registration data unit 154) (column 11 line 42 to 61; see Figures 10-11).

Referring to claim 30, Kita in view of Glass et al. disclose the method for of claim 29, Kita discloses wherein said step of comparing includes comparing a proffered biometric sample (i.e. authentication data) to a stored biometric sample (i.e. registration data) by using at least one of a third-party security vendor device (37) (i.e. service business) and protocol/sequence controller ((152) (i.e. a control circuit) (column 5 line 40 to column 7 line 52; column 10 line 62 to column 11 line 67; see Figure 1-7 and 10-11).

Referring to claims 33 and 41, Kita in view of Glass et al. disclose the method for of claim 23 and 35, Kita discloses wherein said step of proffering a biometric to a biometric sensor communicating with said system to initiate verification further includes at least one of detecting, processing and storing at least one second proffered biometric sample (i.e. authentication data) (column 9 line 66 to column 10 line 36).

Referring to claim 34, Kita in view of Glass et al. disclose the method for of claim 23, Kita discloses wherein said step of proffering a biometric to a biometric sensor communicating

Art Unit: 2635

with said system to initiate verification further includes the use of at least one secondary security procedure (i.e. second authentication input section) (column 10 line 50 to 60; column 11 line 42 to column 12 line 4; see Figures 9-11).

Referring to claim 46, Kita in view of Glass et al. disclose the method for of claim 35, Kita discloses wherein said step of verifying includes verifying a proffered biometric sample using information contained on at least one of a local database (i.e. an organic authentication registration data at the equipment 154) (column 11 line 42 to 61; see Figure 10).

Claims 11, 32 and 42 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kita (US# 6,703,918) in view of Glass et al. (US# 6,332,193) as applied to Claims 1, 23 and 35, and in further view of Stark (US# 6,116,736).

Referring to claims 11, 32 and 42, Kita in view of Glass et al. disclose the method for of claims 1, 23 and 43, however, Kita in view of Glass et al. did not explicitly disclose wherein said iris scan sensor device is configured to detect and verify pupil dilation and body heat.

In the same field of endeavor of measuring the human eye with a sensor, Stark teaches that iris scan sensor device (10) (i.e. a pupilometer) is configured to detect and verify pupil dilation (column 10 line 12 to column 11 line 26; see Figures 5 to 8) in order to analyze said data to identify an outer perimeter of said an iris.

At the time of the invention, it would have been obvious to a person of ordinary skill in the art to recognize the need for analyze to identify the pupil dilation of Stark et al. in the Art Unit: 2635

biometric comparison of Kita because identifying the pupil dilation would improve the reliable and accurate verification of the same person that has been shown to be desirable in the portable authentication device of Kita in view of Glass et al.

Double Patenting

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., In re Berg, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); In re Goodman, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); In re Longi, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); In re Van Ornum, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); In re Vogel, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and In re Thorington, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 1-47 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-47 of copending Application No. 10/708,836 in view of Glass et al. (US# 6,332,193).

This is a provisional obviousness-type double patenting rejection.

Referring to claims 1-47, copending Application NO. 10/708,836 claims a transponderreader transaction system which is the same as of claims 1-47 of Application NO. 10/708,835,

Art Unit: 2635

however, copending Application NO. 10/708,836 did not explicitly claim include an iris scan sensor.

In the same field of endeavor of biometric identity verification system, Glass et al. teach that a iris scan sensor (4) (i.e. an imaging system) configure to detect a proffered iris scan sample (i.e. a digital representation of iris pattern or iris code) (column 1 lines 12 to 59; see Figures 1 to 5) in order to identify the identity of a person using the biometric means for online banking and Internet commerce transactions.

One of ordinary skilled in the art recognizes using a biometric iris scanner for authentication taught by Glass et al. in the transponder-reader transaction system of a copending Application No. 10/708,836 because a copending Application No. 10/708,836 suggests to use an iris sensor (paragraph 0151 to paragraph 0154) and Glass et al. suggests it is desired to use an iris scan sensor or any other alternative biometric sensors in a biometric identification process (column 1 lines 12 to 59). Therefore, it would have been obvious to a person of ordinary skill in the art at the time of the invention was made to use an iris scanner for authentication taught by Glass in a transponder-reader transaction system of a copending Application No. 10/708,836 with the motivation for doing so would have been to have an alternative type of a biometric sensor in an identification transaction system.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Price-Francis (US# 5,815,252) discloses a biometric identification process and system utilizing multiple parameters scans for reduction of false negatives.

Smyth (US# 6,120,461) discloses an apparatus for tracking the human eye with retinal scanning display, and method thereof.

Pare, Jr. et al. (US# 6,269,348) disclose a tokenless biometric electronic debit and credit transactions.

Black (US# 6,307,956) discloses a writing implement for identity verification system.

Prokoski (US# 6,496,594) discloses a method and apparatus for aligning and comparing images of the face and body from different images.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Nam V Nguyen whose telephone number is 571-272-3061. The examiner can normally be reached on Mon-Fri, 8:30AM - 5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Horabik can be reached on 571-272-3068. The fax phone numbers for the organization where this application or proceeding is assigned are 571-273-8300 for regular communications.

Art Unit: 2635

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Nam Nguyen December 8, 2005

> MICHAEL HORABIK SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2600

Page 19